

Council

From page 1

certain expenses if they were to leave their position within a certain time frame. More details will be forthcoming.

Director Bethany Surowka then made her report, stating that 2nd-5th grade baseball season had ended. She also noted that the summer recreation web page would be going live on July 1, with a link on the villagrove.org city page and that the website would offer a place to sign up for activities online. She also noted that pickleball was coming to Villa Grove from 6-8 pm, starting on June 28. Training sessions for those that aren't familiar with the sport will be included. She also noted that there will be a wiffle ball league in July and August, and to keep looking for future updates. Finally, she noted that the basketball hoops are installed, and that the Community Center construction is progressing.

Public Works Director Marc Mixell then made a brief report, noting that the Reservoir at John Leon Park had been mowed, and that spraying for poison Ivy and Poison Oak is scheduled. He also reminded that curbside city-wide clean-up day is Saturday, July 29 and that ALL items need to be curbside by 6 AM on that day.

Mayor Eversole Gunter then noted that the 3rd party insurance fliers included in the Illinois American water and sewer bills were legitimate, and that the company was offering insurance that would cover repairs for things that Illinois American isn't responsible for. She also stated that it is up to the homeowner to decide whether the service is necessary, and it's not mandatory to sign up.

The mayor then moved to new business.

First, Mike Cline and Berton Rund, representing the Rotary Club were on hand to discuss the restoration of the Caboose at Henson Park. They presented a detailed explanation of how the process would work and asked for approval of a bid in the amount of \$18,323.20 from Oakwood Restoration and Blasting Services to completely strip and repaint the structure. The council unanimously approved the measure.

The council then approved a special use permit for Allan Rollings to operate a motorcycle repair shop in his garage. The council approved the measure unanimously. The council then unanimously approved ordinance 2023-MC12 which concerns the renaming of streets, ordinance 2023-MC13, which concerned the setting of regular council meetings per the Illinois Code

of Ordinances, and ordinance 2023-14, which concerned an intergovernmental agreement between the city and Central Management Services regarding the local government health plan.

Next, the council approved Broeren Russo pay request #11, in the amount of \$162,507.26. Broeren Russo pay request #12 had not yet been received, so that agenda item was tabled.

The council then unanimously approved Country Arbors Nursery's quote for landscaping plants and materials for the Villa Grove Police department in the amount of \$1689.70.

The council also approved the purchase of a copier from GFI digital for the Police department.

The council then approved the purchase of AED's and related supplies from Vital Education and Supply in the amount of \$4574.09 and approved the spraying of poison ivy and oak in parks and boulevards.

Finally the council unanimously approved Resolution 2023-R06, which authorized the acceptance of a splash pad donation for Richman Park. More details will be forthcoming at a later time.

Finding no more business, the council adjourned at 7:16 pm.

LEGAL NOTICE

VILLAGE OF CAMARGO CONSUMER CONFIDENCE REPORT

Consumer Confidence Report

Annual Drinking Water Quality Report

CAMARGO
IL0410100
Annual Water Quality Report for the period of January 1 to December 31, 2022
This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

The source of drinking water used by CAMARGO is Purchased Ground Water

For more information regarding this report contact:

Name Kyle Raymer
Phone 217-832-8464

Este informe contiene información muy importante sobre el agua que usted bebe. Tradúzcalo o hable con alguien que lo entienda bien.

Source Water Assessment

We want our valued customers to be informed about their water quality. If you would like to learn more, please feel welcome to attend any of our regularly scheduled meetings. The source water assessment for our supply has been completed by the Illinois EPA. If you would like a copy of this information, please call by City Hall or call our water operator at 217-832-8464. To view a summary version of the completed Source Water Assessments, including: Importance of Source Water; Susceptibility to Contamination Determination; and documentation/recommendation of Source Water Protection Efforts, you may access the Illinois EPA website at <http://www.epa.state.il.us/wqi-bin/wqi/wsp-fact-sheets.pl>.

Source Water Assessment

Source of Water: VILLA GROVE Based on information obtained in a Well Site Survey, published in 1990 by the Illinois EPA, six potential secondary sources and six other sites that may pose a hazard (some of which may be on-going leaking underground storage tank remediation sites) are located within and near the source water protection areas of Wells #1 and #2. Furthermore, information provided by the Leaking Underground Storage Tank Section of Illinois EPA indicated several additional sites with on-going remediations which may be of concern. However, these sites have not been field verified by the Groundwater Section staff and may or may not be located in proximity to the city's source water protection area. Based on information provided by the water supply officials, the following facility, also indicated as a potential source in the site data table, has changed its status: Sunoco (Tanks Removed). The Illinois EPA has determined that the Villa Grove Community Water Supply's source water is not susceptible to contamination. This determination is based on a number of criteria including: monitoring conducted at the wells; monitoring conducted at the entry point to the distribution system; and the available hydrogeologic data on the wells.

Lead and Copper

Definitions: Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Lead and Copper

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	2022	1.3	1.3	0.888	0	ppm	N	Erosion of natural deposits; Leaching of wood preservatives; Corrosion of household plumbing systems.

Water Quality Test Results

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

Avg: Regulatory compliance with some MCLs are based on running annual average of monthly samples.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

na: not applicable.

mrem: millirems per year (a measure of radiation absorbed by the body)

ppb: micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.

ppm: milligrams per liter or parts per million - or one ounce in 7,350 gallons of water.

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

Regulated Contaminants

Disinfectants and Disinfection By-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Chlorine	12/31/2022	0.9	0.5 - 1.5	MRDLG = 4	MRDL = 4	ppm	N	Water additive used to control microbes.
Haloacetic Acids (HAA5)	2022	13	5.1 - 18.9	No goal for the total	60	ppb	N	By-product of drinking water disinfection.
Total Trihalomethanes (TTHM)	2022	75	44.4 - 102	No goal for the total	80	ppb	N	By-product of drinking water disinfection.

Consumer Confidence Report

Annual Drinking Water Quality Report

IL AMERICAN-VILLA GROVE
IL0410350
Annual Water Quality Report for the period of January 1 to December 31, 2022
This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

The source of drinking water used by IL AMERICAN-VILLA GROVE is Ground Water

For more information regarding this report contact:

Name City of Villa Grove
Phone (217) 832-4721

Este informe contiene información muy importante sobre el agua que usted bebe. Tradúzcalo o hable con alguien que lo entienda bien.

Source Water Assessment

We want our valued customers to be informed about their water quality. If you would like to learn more, please feel welcome to attend any of our regularly scheduled meetings. The source water assessment for our supply has been completed by the Illinois EPA. If you would like a copy of this information, please call by City Hall or call our water operator at 217-832-4721. To view a summary version of the completed Source Water Assessments, including: Importance of Source Water; Susceptibility to Contamination Determination; and documentation/recommendation of Source Water Protection Efforts, you may access the Illinois EPA website at <http://www.epa.state.il.us/wqi-bin/wqi/wsp-fact-sheets.pl>.

Lead and Copper

Definitions: Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Lead and Copper

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	2022	1.3	1.3	0.193	0	ppm	N	Erosion of natural deposits; Leaching of wood preservatives; Corrosion of household plumbing systems.

Water Quality Test Results

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

Avg: Regulatory compliance with some MCLs are based on running annual average of monthly samples.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

na: not applicable.

mrem: millirems per year (a measure of radiation absorbed by the body)

ppb: micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.

ppm: milligrams per liter or parts per million - or one ounce in 7,350 gallons of water.

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

Violations Table

Lead and Copper Rule

The Lead and Copper Rule protects public health by minimizing lead and copper levels in drinking water, primarily by reducing water corrosivity. Lead and copper enter drinking water mainly from corrosion of lead and copper plumbing materials.

Violation Type	Violation Begin	Violation End	Violation Explanation
LEAD CONSUMER NOTICE (LCR)	04/01/2021	02/10/2022	We failed to provide the results of lead tap water monitoring to the consumers at the location water was tested. These were supposed to be provided no later than 30 days after learning the results.
LEAD CONSUMER NOTICE (LCR)	12/30/2021	02/10/2022	We failed to provide the results of lead tap water monitoring to the consumers at the location water was tested. These were supposed to be provided no later than 30 days after learning the results.

Source Water Assessment

We want our valued customers to be informed about their water quality. If you would like to learn more, please feel welcome to attend any of our regularly scheduled meetings. The source water assessment for our supply has been completed by the Illinois EPA. If you would like a copy of this information, please call by City Hall or call our water operator at 217-832-4721. To view a summary version of the completed Source Water Assessments, including: Importance of Source Water; Susceptibility to Contamination Determination; and documentation/recommendation of Source Water Protection Efforts, you may access the Illinois EPA website at <http://www.epa.state.il.us/wqi-bin/wqi/wsp-fact-sheets.pl>.

Source of Water: IL AMERICAN-VILLA GROVE Based on information obtained in a Well Site Survey, published in 1990 by the Illinois EPA, six potential secondary sources and six other sites that may pose a hazard (some of which may be on-going leaking underground storage tank remediation sites) are located within and near the source water protection areas of Wells #1 and #2. Furthermore, information provided by the Leaking Underground Storage Tank Section of Illinois EPA indicated several additional sites with on-going remediations which may be of concern. However, these sites have not been field verified by the Groundwater Section staff and may or may not be located in proximity to the city's source water protection area. Based on information provided by the water supply officials, the following facility, also indicated as a potential source in the site data table, has changed its status: Sunoco (Tanks Removed). The Illinois EPA has determined that the Villa Grove Community Water Supply's source water is not susceptible to contamination. This determination is based on a number of criteria including: monitoring conducted at the wells; monitoring conducted at the entry point to the distribution system; and the available hydrogeologic data on the wells.

Lead and Copper

Definitions: Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Lead and Copper

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	2022	1.3	1.3	0.193	0	ppm	N	Erosion of natural deposits; Leaching of wood preservatives; Corrosion of household plumbing systems.

Water Quality Test Results

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

Avg: Regulatory compliance with some MCLs are based on running annual average of monthly samples.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

na: not applicable.

mrem: millirems per year (a measure of radiation absorbed by the body)

ppb: micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.


ppm: milligrams per liter or parts per million - or one ounce in 7,350 gallons of water.

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

Merchant Services New Roll Out

Take Credit Card Payments On Site or Through an App

Contact Us to get Started!



Need Our Number?
Scan the QR Code

Don't Let House Projects LEVEL Your Budget

Find the Right Balance with a Home Equity Line of Credit Apply for a HELOC now Until June 30, 2023

Contact Rachel Patrick 217.465.4157 NMLS #1947580 BANKPROSPECT.COM

Apply now



*Subject to credit approval. Term of loan is maximum of 7 years. Borrowers required to make a monthly interest only payment (Minimum Payment of \$50/mo). Annual Fee of \$35.00. Additional requirements may apply. May result in a balloon payment.
**Closing costs are various expenses or outside fees incurred when a borrower closes a new loan. These expenses / fees may include the cost of a mortgage title policy or search, charges for preparation and recording of mortgage or security documents, appraisal fees, loan processing, flood determination charges and other similar real estate related expenses.